

DECLARATION OF PERFORMANCE

According to Regulation (EU) No.305/2011 No. GIEA001/1

ADINGPOKS 1T



 Unique identification code of the product: GIEA001

2. Intended use/uses:

According to EN 1504-4:ZA.1b, Thixotropic two-component epoxy adhesive for building materials.

This product is intended for:

- Structural bonding products intended for uses with low performance in building materials.
- 3. Manufacturer:

ADING AD Skopje, Novoselski pat (ul. 1409) br. 11, 1060 Skopje, R. North Macedonia

4. Authorised representative:

1

5. System or systems of AVCP:

System 4

6a. Harmonised standard:

EN 1504-4:2004

Notified body:

/



7. Declared performances:

Essential Characteristics	Performance	Harmonised technical specification
Bond/adhesion strength	Pass	
Shear strength	≥ 6 N/mm²	
Compressive strength	≥ 30 N/mm ²	
Shrinkage/expansion	NPD	004
Workability	30-50 min at 20°C	4:2
Modulus of elasticity	≥ 2000 N/mm ²	504
Coefficient of thermal expansion	NPD	EN 1504-4:2004
Glass transition temperature	≥ 40°C	
Reaction to fire	Class F	

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No. 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Skopje, 04.03.2024

Signed for and on behalf of the manufacturer by:

General Manager,

Zorah Petrovski, arch.eng.



CE MARKING

Annex to DoP No. GIEA001/1

CE

ADING AD Skopje, Novoselski pat (ul 1409) br.11 1060 Skopje, North Macedonia

23

GIEA001/1

EN 1504-4:2004

ADINGPOKS 1T

Thixotropic two-component epoxy adhesive for building materials.

Bond/adhesion strength **Pass**

Shear strength ≥ 6 N/mm²

Compressive strength ≥ 30 N/mm²

NPD Shrinkage/expansion

30-50 min at 20°C Workability ≥ 2000 N/mm² Modulus of elasticity

Coefficient of thermal

expansion

NPD

Glass transition temperature

≥ 40°C

Reaction to fire

Class F

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

tion and advice on safe handling, storage and disposal of the chemical product are contained in the official Safety Data Sheet (SDS).

The information and recommendations relating to proper storage, handling and end-use of Ading's products are given based on our best knowledge and experience. The differences in substrates and ambient conditions are not covered with this information. The user shall refer to the official technical data sheet. ADING reserves the right to change its products. The proprietary rights of third parties must be observed. All orders are accepted under current terms of sale and delivery.